





**Attention:** Read and understand these instructions before installing fixture. This fixture is intended for installation in accordance with the National Electric Code and local regulation. To assure full compliance with local codes and regulations, check with your local electrical inspector before installation. This equipment is guaranteed only when used as indicated in these instructions; therefore they should be kept for future reference. To prevent electrical shock, turn off power supply before carrying out any connection or maintenance operations. During installation, the LED chips may be exposed; please do not touch them to ensure proper long-term operation.


### STEP 1

Make sure all the mounting pieces are in the package.




### STEP 2

For wood joist installation:  
2.1 Align mounting bar with the bottom edge of the wood joist.  
2.2 Push on the built-in hook or use wood screws to mount the frame on the wood joist.



### STEP 3


For grid ceiling installation:  
3.1 Install mounting bar notches on the ceiling T-bar.  
3.2 Secure mounting bar notches to grid ceiling with metal wire.






### STEP 4

Lock mounting bar in place by folding mounting frame tabs.



### STEP 5

- 5.1 Remove junction box cover.
- 5.2 Remove pry-out knock out.
- 5.3 Use BX conduit connector.
- 5.4 Make appropriate electrical connection. Follow wiring diagram.
- 5.5 Reinstall junction box cover.








**STEP 6**

- 6.1 Make appropriate ceiling cut-out, refer to table.  
6.2 Let cable with connection box accessible.

**6.1**

	<p>Ø 5-5/8"</p> <p>Ø 14,3cm</p>
	<p>5-5/8" x 5-5/8"</p> <p>14,3cm x 14,3cm</p>



**6.2**