

# La Linea



**Artemide<sup>®</sup>**

# Authors

## BIG - Bjarke Ingels Group

BIG is a Copenhagen, New York, London and Barcelona based group of architects, designers, urbanists, landscape professionals, interior and product designers, researchers and inventors. The office is currently involved in a large number of projects throughout Europe, North America, Asia and the Middle East.

BIG's architecture emerges out of a careful analysis of how contemporary life constantly evolves and changes. Not least due to the influence from multicultural exchange, global economical flows and communication technologies, that all together require new ways of architectural and urban organization. They believe that in order to deal with today's challenges, architecture can profitably move into a field that has been largely unexplored. A pragmatic utopian architecture that steers clear of the petrifying pragmatism of boring boxes and the naïve utopian ideas of digital formalism. Like a form of programmatic alchemy, they create architecture by mixing conventional ingredients such as living, leisure, working, parking and shopping. By hitting the fertile overlap between pragmatic and utopia, they once again find the freedom to change the surface of our planet, to better fit contemporary life forms.



# La Linea

BIG  
2019

PATENT OF  
INVENTION



**INNOVATIONSPREIS  
ARCHITEKTUR +  
TECHNIK**  
2020 AUSZEICHNUNG

“The flexibility enables us to move and interact with the environment in new and unpredictable ways. The possibilities are endless!”  
BIG



For further information on La Linea  
visit [artemide.net](http://artemide.net)


in (IP20)

(IP65) out

# La Linea is inclusive

La Linea turns light into an ideal fixture for outdoor spaces, architectures, parks, or public and urban areas to requalify common spaces, create social and engaging landscapes, and promote relations between people and their surroundings.

**La Linea 40**  
Ø1-1/2in. x 8 or 16 ft.  
Total Power:4.6W/ft.  
IP20/65



+104°F  
+40°C




-4°F  
-20°C




# La Linea is flexible

La Linea is a flexible tube of light, capable to freely twist and turn in space according to undefined geometries.

Light at  
360°





# La Linea is innovative

Its patented section brings together several types of intelligence connected with optical, as well as material, mechanical, manufacturing principles and sustainable values, which take care of each individual aspect of the product's life stages.

# Endless applications













## ↪ LA LINEA OUTDOOR

White



120/277Vac 50/60Hz  
power supply included  
wall/ceiling supports included


MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95

IP65



### LA LINEA 40

Length	W	Flux	CCT	Dimmable 0-10V Code
98-7/16" (250cm)	38W	2400 lm	3000K	<a href="#">LL0001</a>
196-7/8" (500cm)	75W	4800 lm	3000K	<a href="#">LL0002</a>



### ACCESSORY

Wall/ceiling support (5pcs) aluminum  
\*5pcs included with LL1051 & 10pcs with LL1052

Code  
R304975





# La Linea Surface

## ↳ LA LINEA SURFACE

White



24Vdc  
power supply sold separately  
wall/ceiling supports included


MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95

IP20



### LA LINEA 40

Length	W	Flux	CCT	Dimmable 0-10V Code
98-7/16" (250cm)	38W	2400 lm	3000K	<a href="#">LL1051</a>
196-7/8" (500cm)	75W	4800 lm	3000K	<a href="#">LL1052</a>



### ACCESSORY

Wall/ceiling support (5pcs) aluminum	Code
*5pcs included with LL1051 & 10pcs with LL1052	R304975



Wall/ceiling support (5pcs) transparent	R305151
---	---------



### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>





# La Linea Recessed


With the new recessed accessories La Linea can be suspended from the extremities and can freely define the softly curving geometries during installation in the space.

## LA LINEA RECESSED

White  


24Vdc  
 power supply sold separately


MacAdam 2SDMC  
 Life L70(6K) 36000h  
 CRI=95

IP20  
  
 Damp  
 rated

### LA LINEA 40

#### Trimless

Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1001</a>
196-7/8" (500cm)	66W	4800 lm	3000K	<a href="#">LL1002</a>



\*Not visible after installation

### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>



## ↪ LA LINEA RECESSED

White



24Vdc  
power supply sold separately

MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95


IP20



### LA LINEA 40

#### With Trim

Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1011</a>
196-7/8" (500cm)	66W	4800 lm	3000K	<a href="#">LL1012</a>



## ↪ LA LINEA RECESSED

White



24Vdc  
power supply sold separately

MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95


IP20



### LA LINEA 40

#### With Trim for junction box

Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1021</a>
196-7/8" (500cm)	66W	4800 lm	3000K	<a href="#">LL1022</a>



\*Octagonal box not included

### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>



### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>





# La Linea Ceiling

## ↳ LA LINEA CEILING

White  
□

120/277Vac 50/60Hz  
integrated power supply

MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95

IP20  
  
Damp  
rated


### LA LINEA 40

#### With surface power supply

Length	W	Flux	CCT
98-7/16" (250cm)	38W	2400 lm	3000K
196-7/8" (500cm)	77W	4800 lm	3000K

#### Non-Dimmable

Code
<a href="#">LL1041</a>
<a href="#">LL1042</a>



\*Feed

\*\*Octagonal box not included

European version shown



## ↳ LA LINEA CEILING

White



24Vdc  
power supply sold separately


MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95

IP20



### LA LINEA 40

Surface Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1031</a>
196-7/8" (500cm)	66W	4800 lm	3000K	<a href="#">LL1032</a>



\*Octagonal box not included

### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>





# La Linea Vertical

## ↳ LA LINEA VERTICAL

White



24Vdc  
power supply sold separately

MacAdam 2SDMC  
Life L70(6K) 36000h  
CRI=95



IP20



### LA LINEA 40

#### Trimless

Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1101</a>





\*Not visible after installation

### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>




## ↪ LA LINEA VERTICAL



White 	24Vdc power supply sold separately	MacAdam 2SDMC Life L70(6K) 36000h CRI=95	IP20 
--	---------------------------------------	--	---

### LA LINEA 40

With Trim	W	Flux	CCT	Code
Length 98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1111</a>




## ↪ LA LINEA VERTICAL

White 	24Vdc power supply sold separately	MacAdam 2SDMC Life L70(6K) 36000h CRI=95	IP20 
--	---------------------------------------	--	---

### LA LINEA 40

With Trim for junction box	W	Flux	CCT	Code
Length 98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1121</a>



\*Octagonal box not included

### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>





### REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>




↪ LA LINEA VERTICAL

White 	120/277Vac 50/60Hz integrated power supply	MacAdam 2SDMC Life L70(6K) 36000h CRI=95	IP20 
--	---	--	---



LA LINEA 40

With surface power supply				Non-Dimmable
Length	W	Flux	CCT	Code
98-7/16" (250cm)	38W	2400 lm	3000K	<a href="#">LL1141</a>




\*Octagonal box not included

↪ LA LINEA VERTICAL

White 	24Vdc power supply sold separately	MacAdam 2SDMC Life L70(6K) 36000h CRI=95	IP20 
--	---------------------------------------	--	---

LA LINEA 40

Surface				
Length	W	Flux	CCT	Code
98-7/16" (250cm)	33W	2400 lm	3000K	<a href="#">LL1131</a>



\*Octagonal box not included

REMOTE POWER SUPPLY

Output Wattage	Width	Height	Depth	Dimmable 0-10V Code
1 x 85W	12-1/4"	16-5/8"	5"	<a href="#">DEOW18508D1U</a>
2 x 85W				<a href="#">DEOW28508D1U</a>
3 x 85W	18-1/4"			<a href="#">DEOW38508D1U</a>
4 x 85W				<a href="#">DEOW48508D1U</a>
5 x 85W	24-1/4"			<a href="#">DEOW58508D1U</a>
6 x 85W				<a href="#">DEOW68508D1U</a>
7 x 85W	30-1/4"			<a href="#">DEOW78508D1U</a>
8 x 85W				<a href="#">DEOW88508D1U</a>





BIG  
BJARKE INGELS GROUP



## Artemide INC

250 Karin Lane  
Hicksville, NY 11801  
Tel. 631-694-9292  
[artemide.net](http://artemide.net)

## Artemide Ltd

11105 rue Renaude Lapointe  
Montréal, Québec, H1J 2T4  
Tel. 514-323-6537  
[artemide.net](http://artemide.net)



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018

### Artemide INC - Artemide Ltd

Reserves right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

### Artemide INC - Artemide Ltd

Se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

### Artemide INC - Artemide Ltd

Se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.