

BASIC STRIP WALL/CEILING




Assembly instructions rev 0.3




Attention: Read and understand these instructions before installing fixture. This fixture is intended for installation in accordance with National Electric Code and local regulation: To assure full compliance with local codes and regulations, check with your local electrical inspector before installation. This equipment is guaranteed only when used as indicated in these instructions; Therefore they should be kept for future reference. To prevent electrical shock, turn off power supply before carrying out any connection or maintenance operations.

STEP 1 Make sure you have all the elements of the fixture

Your box should contain the following parts








BASIC STRIP WALL/CEILING





Assembly instructions rev 0.3

STEP 3

- 1. Fix the universal plate to the J-Box (screws not supplied)
- 2. Connect the mounting post to the mounting plate
- 3. Pass wire through large hole of the mounting plate and make the appropriate electrical connection







STEP 4

Mount the fixture on the wall/ceiling

- 1. Fix the mounting plate to the universal plate
- 2. Fix the fixture to the mounting post
- 3. Mark the mounting points on the wall/ceiling through the mounting holes


For reference:


Basic Strip 24: D=20" (508mm)

Basic Strip 36: D=32" (813mm)

Basic Strip 48: D=44" (1118mm)

- 4. Pivot the fixture to any position to see the mounting points
- 5. Drill the mounting holes according to surface condition and selected hardware (not supplied)
- 6. Reposition the fixture
- 7. Mount the fixture on the wall/ceiling using the appropriate screws and anchors (not supplied)
- 8. Install the lamps







BASIC STRIP WALL/CEILING



Assembly instructions rev 0.3

