

Luminaire

Code HoySpot_SMD_927_UL-SP
 Name Hoy spot SMD 927 UL - SP
Measurement.
 Code RDN210202
 Name Hoy spot SMD 927 UL - SP


Luminaire Flux	1933.83 lm	Luminaire Power	20.00 W	Efficacy	96.69 lm/W	Efficiency	100.00%
Sources Flux	1933.83 lm	Maximum value	7973.08 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	90 mm	Height	188 mm		
Round Luminous Area		Diam.	74 mm	Height	0 mm		
Horizontal Luminous Area		0.004301 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.001040 m ²	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		31-07-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1933.83 lm	

LED Flux=2122lm LED Power=18W Eff=91% EfcLed=121lm/W EfcLum=97lm/W CCT=2700K Ra=90 R9=50 SDCM=2 L70(6K)=50000h

C.I.E. 98 100 100 100 100
 F UTE -

D DIN 5040 A60
 B NBN BZ 1


Diam=90mm



C Halfplanes

180.0 — 0.0

ULOR 0.00 %
 DLOR 100.00 %
 RN 0.00 %



Luminaire

Code HoySpot_SMD_927_UL-SP
 Name Hoy spot SMD 927 UL - SP

Measurem.


Code RDN210202
 Name Hoy spot SMD 927 UL - SP

Luminaire Flux	1933.83 lm	Luminaire Power	20.00 W	Efficacy	96.69 lm/W	Efficiency	100.00%
Sources Flux	1933.83 lm	Maximum value	7973.08 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	0.11	0.22	0.33	0.44	0.55	OC	0.11	0.22	0.33	0.44	0.55
OB	0.11	0.22	0.33	0.44	0.55	OD	0.11	0.22	0.33	0.44	0.55

	Luminous Intensities [cd/klm]									
	0	5	15	25	35	45	55	65	75	85
OA	15418.59	9507.22	1502.95	834.67	534.58	35.67	16.70	2.98	0.67	0.09
OB	15418.59	9507.22	1502.95	834.67	534.58	35.67	16.70	2.98	0.67	0.09
OC	15418.59	9507.22	1502.95	834.67	534.58	35.67	16.70	2.98	0.67	0.09
OD	15418.59	9507.22	1502.95	834.67	534.58	35.67	16.70	2.98	0.67	0.09



H[m]	D[m]	Max lux	Med lux	Alpha=6.3°+6.3°	G=0.0
1.00	0.22	15419	9805		
2.00	0.44	3855	2451		
3.00	0.66	1713	1089		
4.00	0.88	964	613		
5.00	1.10	617	392		