

## Luminaire

Code 1564038A  
Name VINE LIGHT T UL

## Measurem.

Code RDN220484  
Name VINE LIGHT T UL


Luminaire Flux	602.33 lm	Luminaire Power	8.00 W	Efficacy	75.29 lm/W	Efficiency	100.00%
Sources Flux	602.33 lm	Maximum value	335.50 cd/klm	Position	C=25.00 G=14.00	CG	Asymmetrical
Round Luminaire		Diam.	186 mm	Height	20 mm		
Round Luminous Area		Diam.	36 mm	Height	4 mm		
Horizontal Luminous Area			0.001018 m <sup>2</sup>	Emitting area on Plane 180°			0.000144 m <sup>2</sup>
Emitting area on Plane 0°			0.000144 m <sup>2</sup>	Emitting area on Plane 270°			0.000144 m <sup>2</sup>
Emitting area on Plane 90°			0.000144 m <sup>2</sup>	Glare area at 76°			0.000386 m <sup>2</sup>
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		10-05-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		602.33 lm	

LED Flux=768lm LED Power=6.2W Eff=78% EfcLed=124lm/W EfcLum=75lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(6K)=60000h


C.I.E. 48 81 95 97 100  
F UTE 0.97 E + 0.03 T

D DIN 5040  
B NBN

A31  
BZ 4



ULOR 2.93 %  
DLOR 97.07 %  
RN 2.93 %



**Luminaire**

Code 1564038A  
Name VINE LIGHT T UL

**Measurem.**


Code RDN220484  
Name VINE LIGHT T UL

Luminaire Flux	602.33 lm	Luminaire Power	8.00 W	Efficacy	75.29 lm/W	Efficiency	100.00%
Sources Flux	602.33 lm	Maximum value	335.50 cd/klm	Position	C=25.00 G=14.00	CG	Asymmetrical

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.51	3.03	4.54	6.05	7.56	OC	1.49	2.98	4.46	5.95	7.44
OB	1.51	3.03	4.54	6.05	7.56	OD	1.59	3.17	4.76	6.35	7.93

	Luminous Intensities [ cd/klm ]									
	0	5	15	25	35	45	55	65	75	85
OA	198.22	198.62	201.22	190.48	170.19	150.79	108.46	58.22	27.29	13.72
OB	198.22	198.62	201.22	190.48	170.19	150.79	108.46	58.22	27.29	13.72
OC	198.22	200.21	200.57	189.08	164.87	140.87	105.70	61.83	30.29	12.25
OD	198.22	196.29	194.78	188.80	168.42	142.85	112.03	69.88	34.51	14.78



H[m]	D[m]	Max lux	Med lux	Alpha=56.5°+56.5°	G=0.0 Max not at G	
1.00	3.03	199	50			
2.00	6.05	50	12			
3.00	9.08	22	6			
4.00	12.10	12	3			
5.00	15.13	8	2			

H[m]	D[m]	Max lux	Med lux	Beta=57.8°+56.1°	G=0.0 Max not at G	
1.00	3.07	199	50			
2.00	6.15	50	12			
3.00	9.22	22	6			
4.00	12.30	12	3			
5.00	15.37	8	2			