


Luminaire

Code FTS1701764
Name AEDE parete


Measurem.

Code RDN170477
Name AEDE parete

| | | | | | | | |
|---|---|---|---|----------------|----------------|------------|-----------------------|
| Luminaire Flux | 1280.84 lm | Luminaire Power | 20.00 W | Efficacy | 64.04 lm/W | Efficiency | 100.00% |
| Lamps Flux | 1280.84 lm | Maximum value | 712.18 cd/klm | Position | C=45.00 G=2.00 | CG | Sym. on planes 270-90 |
| Rectangular Luminaire Round Luminous Area | Length Diam. | 100 mm 30 mm | Width Height | 110 mm 0 mm | Height | 115 mm | |
| Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90° | 0.000707 m2 0.000000 m2 0.000000 m2 | Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76° | 0.000000 m2 0.000000 m2 0.000171 m2 | | | | |
| Coordinate system | CG | Symmetry Type | Sym. on planes 270-90 | | | | |
| Date | 13-11-2017 | Maximum Gamma Angle | 180 | | | | |
| Measurement Distance | 0.00 | Measurement Flux | 1280.84 lm | | | | |
| LED Flux=2057,9lm LED Power=17W Eff=62% EfcLed=121lm/W EfcLum=64lm/W CCT=2700 Ra=90 SDCM=2 L70(6K)=36300h | | | | | | | |
| C.I.E. | 76 94 99 100 100 | D DIN 5040 | A60 | | | | |
| F UTE | 1.00 B | B NBN | BZ 1 / 2.5 / BZ 2 / 3 / BZ 1 / 4 / BZ 2 | | | | |



ULOR 0.00 %
DLOR 100.00 %
RN 0.00 %



Luminaire

Code FTS1701764
Name AEDE parete

Measur.

Code RDN170477
Name AEDE parete

| | | | | | | | |
|----------------|------------|-----------------|---------------|----------|----------------|------------|-----------------------|
| Luminaire Flux | 1280.84 lm | Luminaire Power | 20.00 W | Efficacy | 64.04 lm/W | Efficiency | 100.00% |
| Lamps Flux | 1280.84 lm | Maximum value | 712.18 cd/klm | Position | C=45.00 G=2.00 | CG | Sym. on planes 270-90 |

Spectral Data

| | | | | | | | | | |
|-----------------|--------------|-------------|-----------------------------|-----------|------------|-----------|-----------|-----------|--|
| CIE1931 | x=0.466059 | y=0.413487 | Color rendering index (CRI) | CRI8 92.5 | CRI15 89.6 | | | | |
| CIE1960 | u =0.265193 | v =0.352919 | Color Rendering Components | R 1: 92.6 | R 2: 96.0 | R 3: 98.0 | R 4: 92.6 | R 5: 92.0 | |
| CIE1976 | u'=0.265193 | v'=0.529378 | CCT = 2630 K | R 6: 95.7 | R 7: 91.8 | R 8: 80.9 | R 9: 58.4 | R10: 89.6 | |
| Delta u' v' Max | D u'v'=0.000 | | | R11: 93.6 | R12: 82.7 | R13: 93.5 | R14: 98.0 | R15: 88.2 | |

